



Relauto Merlin
C/ La Vega, 46 - Local 2
45223 - Seseña Viejo - Toledo

 675 090 651

 91 801 21 63

info@relautomerlin.com

HERRAMIENTA - 8435034540345 - MALETIN HERRAMIENTAS DE 216PCS JBM 54034

Piezas 216

Medida del cuadrado 1/4", 3/8", 1/2"

Perfil Hexagonal

Acabado Cincado/Zinc Finish

Material Acero/Steel S2

Peso 11,45Kg

Dimensiones (LxAnxAl) 500x360x110mm

El estuche contiene:

Vasos hexagonales:

- Largos 3/8": 10mm, 11mm, 12mm, 13mm, 14mm, 15mm
- Cortos 3/8": 10mm a 19mm
- 1/2": 13mm a 32mm
- 1/4" cincados: 4mm a 14mm
- 1/4" largos 50mm: 4mm a 10mm
- 1/2" largos 75mm: 16mm, 17mm, 18mm, 19mm, 22mm

Vasos torx (E-Torx):

- 3/8": E10, E11, E12, E14, E16
- 1/2": E20, E22, E24
- 1/4": E4, E5, E6, E7, E8

Vasos destornilladores (bits con vaso):

- Torx (TX e inviolables): T8 a T70
- Estrella (PH): 0, 1, 2
- Estrella doble (PZ): 0, 1, 2
- Plano (SL): 4mm, 5.5mm, 6.5mm, 7mm
- Hex (allen): 3mm, 4mm, 5mm, 6mm

Vasos de bujía hexagonales:

- 1/2": 16mm, 21mm
- 3/8": 18mm

Puntas:

Allen (hex)

- Boca allen 6: H2, H2.5, H3, H4, H5, H6
- Boca allen 8: 7mm, 8mm, 10mm, 12mm

Torx (TX & TX inviolables)

- Boca allen 6: TX T5 a T45
- Boca allen 8: TX T40 a T60

- 5 cantos: T50

Estrella (PH) y estrella doble (PZ)

- PH: 2, 3, 4 (allen 8)
- PZ: 2, 3, 4 (allen 8)

Plano (SL)

- Allen 6: 8mm, 10mm, 12mm
- Allen 8: 8mm, 10mm, 12mm

Ribe

- Allen 6: M5 a M9
- Allen 8: M10 a M13

Otros tipos:

- Tri-punta: 1 a 4
- Cuadrado: 0 a 3
- Tensor: 4, 6, 8, 10
- Mariposa: 1, 2, 3

XZN (multiestriado)

- Allen 6: 5mm, 6mm, 8mm
- Allen 8: 10mm, 12mm

Llaves:

- Llaves combinadas: 8mm a 19mm
- Llaves allen individuales: 1.27mm, 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm

Carracas, mangos y accesorios:

Carracas

- 1/4": 145mm
- 3/8": 200mm
- 1/2": 255mm

Articulaciones universales

- 1/4", 3/8", 1/2"

Barras de extensión

- 1/4": 50mm, 100mm
- 3/8": 125mm
- 1/2": 125mm, 250mm

Adaptadores

- 3/8" hembra a 1/2" macho inviolable
- De 1/2" y 3/8" para cabezals de 8mm
- 1/4" x 6mm hexagonal

Mangos

- Mango destornillador 1/4"
- Mango corredizo (T) 1/4"

Otros:

- Destornillador imantado

